

THE TRUCKS ARE GOOD-LOOKING.
YOUR PROFITS ARE
DOWNRIGHT HANDSOME.



As much as you appreciate the winning looks of International® 9200i and 9400i day cabs, what really gets your attention is how beautifully they enhance profitability and hold their value.

One way is through fuel-saving aerodynamics. Bold, smoothly contoured lines. A fully curved wraparound windshield. Patented "pod" style air fairing. Aero mirrors, flow-through sunshade, and more.

These trucks are also designed with the most advanced components and systems for superior reliability and durability. Routine maintenance is quick and easy for increased uptime.

Plus, with comprehensive parts availability, outstanding warranty coverage and nearly 1,000 dealer locations nationwide offering complete service and support, things have never looked better for your operation.



INTERNATIONAL® 9200i, 9400i DAY CAB

1 A multi-layer finish features a high-concentration color coat sealed with a clear urethane outer coat – for incomparably deep, rich color that looks factory new for years.

2 Three-point center-mounted hood and integral splash panels reduce hood-opening effort and provide easy access to under-hood service points.

3 Riveted and bonded cab provides greater durability and is less costly to repair.

The International® 9000i Series cab is built to assure longer life, less weight and fewer repairs.

Owens-Corning insulation assures excellent sound and temperature insulation.



POTENTIAL ADDED VALUE BASED ON 200,000 OWNERSHIP MILES (321,869 KM)


	STANDARD FEATURES	BENEFIT	ADDED VALUE
1	Base coat/clear coat paint process	Reduced maintenance	\$700-\$2,000
2	Three-piece hood (front corner replacement)	Less costly repairs	\$700-\$3,000
3	Riveted cab	Less costly repairs	\$1,000-\$3,000
	Other high-value standard features*	No additional cost	Up to \$5,000 or more
	Comprehensive standard warranty	Less out-of-pocket expense	\$1,000-\$2,000
	TOTAL		\$8,400-\$15,000

*Features include National 2000 Series driver's seat, 1.6M lb-in RBM frame, ceramic clutch, M-100 power steering and three batteries with 1950 CCA.




- Aluminized exhaust components extend life and enhance appearance.
- Patented “pod” style air fairing contributes to minimal wind resistance and improved fuel efficiency.
- An innovative flow-through aero sunshade keeps airflow unrestricted.
- The fully curved wraparound windshield provides a commanding view of the road.
- Aero mirrors and breakaway C-loop door-mounted brackets reduce side-of-cab wind noise, improve fuel efficiency and reduce repair costs.
- The easy-to-reach windshield washer reservoir holds more than two gallons (7.6 L) for longer refill intervals.
- A bright-finish aluminum grille with protective bug screen offers durability and a distinctive appearance. Chrome-plated grille surround, standard with Eagle® trim.
- Side-by-side radiator and CAC system are designed to meet the cooling requirements of all engine systems.
- Tuned shock absorbers help ensure a smooth ride even on rough roads.
- Pinpoint steering geometry and parabolic taperleaf front suspension provide superior vehicle control and excellent ride and handling.
- Owens-Corning insulation assures excellent sound and temperature insulation.
- Large door windows and passenger-side look-down mirror provide an encompassing view of surroundings.
- All air lines are color-coded for easier troubleshooting. Quality Connect fittings provide greater resistance to air leaks.
- Heat-treated alloy steel (110,000 psi yield) frame rails accommodate wheelbases up to 240" (610 cm) without reinforcement.
- Our unique assembly process ensures unmatched chassis straightness – helping to create an outstanding ride, less tire wear and longer drivetrain life.
- An ultra-rigid cab floor offers a smoother, more comfortable ride.
- The International® Ride-Optimized Suspension (IROS) system delivers excellent stability and handling, less road noise and a smoother ride.
- Standard wide-track axles with 35" (89 cm) spring centers improve wheel cut by 10% for better maneuverability, a tight turning radius, and improved ride and handling.

International® Popular Feature Options



9200i SBA 6x4



9400i SBA 6x4

Engines

Cummins ISM: 280-370 hp Ratings
Cummins ISX: 435-565 hp Ratings
Caterpillar C-12: 380-445 hp Ratings
Caterpillar C-15: 435-525 hp Ratings

Transmissions

Fuller 10^{*} 13, 15, 18-Speed Manual
ZF Meritor FreedomLine 12-Speed Fully Automated Manual
Eaton Fuller AutoShift 10, 18-Speed Manual

Axle, Front, I-Beam Type

Meritor Wide-Track 12,000^{*}, 14,000-lb Capacity
Meritor Standard Track 12,000-lb Capacity
Meritor Standard Track 12,000, 13,200-lb Capacity, Integrated Hub

Axle, Rear

Meritor Single-Reduction 40,000-lb Capacity^{*}
Available with Lube Pump, Aluminum Carriers and Driver-Controlled
Differential Locks
Meritor Single-Reduction 46,000-lb Capacity
Available with Driver-Controlled Main Locking Differential
Meritor Single-Reduction 23,000-lb Capacity (9200i only)

Suspension, Rear

International® Ride-Optimized Suspension (IROS) 40,000-lb Capacity,
52", 55", 60" Axle Spacing
International Ride-Optimized Suspension (IROS) 20,000-lb Capacity
International® Multileaf 20,000-lb Capacity
Hendrickson 40,000- or 46,000-lb Capacity, 55" Axle Spacing
Hendrickson 46,000-lb Capacity, 60" Axle Spacing
International 4-Spring Type, Multileaf, 34,000^{*}, 36,000, 40,000-lb Capacity,
52" Axle Spacing

ABS

Bendix 4-Channel Antilock Brake System^{*}
Meritor-Wabco 4-Channel

Fuel Tanks

Single 100: 24", 26" Polished and Non-Polished
Single 115: 26" Polished
Single 120: 24" Non-Polished
Dual 100: 24", 26"^{**} Polished and Non-Polished Aluminum
Dual 115: 26" Polished and Non-Polished Aluminum
Dual 120: 24" Non-Polished
Dual 150: 26" Polished and Non-Polished Aluminum

Tires

Goodyear^{*}, Michelin

Fifth Wheel

Fontaine® Stationary or Air Slide 12", 24", 36" Sliders (Cast or Stamped)

Wheels - Front & Rear

Disc: 22.5"^{*}, 24.5" Painted^{*}, Polished and Non-Polished Aluminum
Dual Disc: 22.5", 24.5" Painted, Polished and Non-Polished Aluminum

Popular Enhancement Options:

Aero Package: Chassis Skirts, Pod-Style Roof Fairing, Aero Mirrors,
Aero Sunshade, Bumper Air Dam
Remote Keyless Entry System, Premium and Eagle® Interior, Cab Skirts

^{*}Standard Equipment

For more information on the International® 9200i
or 9400i day cabs, see your International® dealer or
visit our web site at www.InternationalDelivers.com.



THE BRILLIANCE OF COMMON SENSE.™

Specifications, descriptions and illustrative material in this literature are as accurate as known at time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment. THE BRILLIANCE OF COMMON SENSE. is a trademark of International Truck and Engine Corporation. International, the International Diamond logo and Eagle are registered trademarks of International Truck and Engine Corporation.