

FINALLY, A DUMP TRUCK

THAT'S ALREADY ALL READY.



Naturally, any time you can get everything you need in one simple, complete, ready-for-use package – it's a good thing.

That's the thinking behind the International® Integrated Dump truck. It's engineered and packaged as one complete unit – including chassis, dump body, hydraulic components and controls – for longer life,

improved reliability, higher performance and greater value.

Available with International® 7000 Series and 5000i Series chassis, International Integrated Dump trucks are taking the construction business to a new level of ease and productivity.



THE BRILLIANCE OF COMMON SENSE.™

A COMPLETE TRUCK READY TO WORK. NO ASSEMBLY REQUIRED.



Total solution. Single source.

- Instead of buying the chassis and body from separate dealers, you can order a work-ready, fully integrated dump truck from International.
- Chassis, body and other components are engineered as a single unit for higher performance, reliability, durability and value. This also increases production efficiency by simplifying body mounting, so you can take quicker delivery.
- Your local International® dealer provides single-source parts and service support on chassis, body, hoist and lift axle for increased uptime and profits for your business.
- Innovative finance, lease and insurance programs are available from International Finance Group.
- Comprehensive warranties on the total truck – including body and dump components – are all administered by your local International dealer.

- ▶ Three-year parts and labor warranty on body, dump body components, tarp arm and lift axles.*
- ▶ Extended five-year limited warranties from Cummins and Hendrickson.*
- ▶ International can also provide a custom warranty, which gives you the flexibility to design a protection plan to match your own unique operating environment and requirements.*

*All warranties are limited –
See your International dealer for details.

A range of body options.

- Aluminum and steel dump bodies available with lengths from 10' (3 m) to 19.5' (6 m).
- 13,200-lb (5,987 kg) capacity steerable and 20,000-lb (9,072 kg) capacity rigid lift axles are available to meet legal load requirements for your state.
- Standard hoist and PTO system are available through the International parts program.
- With the optional air-operated tailgate, the driver can unlatch the tailgate without leaving the cab – for enhanced productivity and less fatigue.
- Optional heated and insulated body makes it easier to load and unload in extremely cold conditions.
- Choose from six standard colors or order custom paint to help your business project a high-quality image (steel bodies only).



International 7500

DESCRIPTION	INTERNATIONAL 7300	INTERNATIONAL 7400	INTERNATIONAL 7500	INTERNATIONAL 7600	INTERNATIONAL 5500i	INTERNATIONAL 5600i	INTERNATIONAL 5900i
10' Dump Body	■	■	■	■			
12' Dump Body	■	■	■	■			
14' Dump Body	■	■	■	■			
15' Dump Body		■	■	■	■	■	■
16' Dump Body		■	■	■	■	■	■
16.5' Dump Body		■	■	■	■	■	■
17' Dump Body		■	■	■	■	■	■
17.5' Dump Body			■	■	■	■	■
18' Dump Body			■	■	■	■	■
18.5' Dump Body			■	■	■	■	■
19' Dump Body			■	■	■	■	■
19.5' Dump Body			■	■	■	■	■

International® Integrated Dump Truck Specifications

International 7000 Series dump trucks.

- 107" BBC (272 cm) International® 7000 Series dump trucks offer outstanding durability, reliability, powertrain performance and maneuverability plus a refined driver environment.
- The on/off-highway frame system delivers unparalleled strength and durability, resists corrosion and is lighter than double-rail systems. The result: bigger payloads, yielding more profits on every trip.
- For applications requiring front-mounted equipment, a 32" (81 cm) set-forward front axle position is available.
- For applications that demand increased front axle loading, a 40" (102 cm) set-back front axle position is available.
- Factory-built, set-forward all-wheel-drive axle configurations are also available.
- Wide-track front axles provide up to a 50° wheel cut for outstanding maneuverability.
- The industry's most comfortable and spacious cab measures 72.5" (184 cm) wide and 58" (147 cm) floor to ceiling to offer more shoulder room, headroom and belly room.
- The International® Diamond Logic™ Electrical System simplifies troubleshooting and enhances diagnostics for increased uptime.
- Front axles up to 20,000 lb (9,072 kg); rear axles up to 46,000 lb (20,865 kg).
- International® I-6 engines deliver 195-340 hp (145-254 kW) and 520-1200 lb-ft (705-1627 N·m) of torque without adding unneeded weight. Engines from Caterpillar and Cummins with up to 430 hp are also available.

International 5000i Series dump trucks.

- 114" (290 cm) BBC International 5600i with 52" (132 cm) BA for outstanding set-back front axle loading and maneuverability.
- 114" (290 cm) BBC International 5500i with set-forward axle and 28" (71 cm) BA for maximum Bridge Formula payload.
- 120" (305 cm) BBC International 5900i set-forward axle with 30" (76 cm) BA and classic good looks.
- 12.25" (31.12 cm) standard frame-rail system has one of the industry's best strength-to-weight ratios.
- All-aluminum cab insulated for superior temperature control and noise reduction.
- Front axles up to 22,000 lb (9,979 kg); tandem rear axles up to 70,000 lb (31,751 kg).
- International engines with ratings up to 340 hp (254 kW) and 1200 lb-ft (1603 N·m) of torque. Other leading engines from Caterpillar and Cummins with up to 565 hp (421 kW).

For more information on International Integrated Dump trucks, call 1-800-44-TRUCK (1-800-448-7825), see your local International dealer or visit our web site at www.internationaldelivers.com.



THE BRILLIANCE OF COMMON SENSE.™

Specifications, descriptions and illustrative material in this literature are as accurate as known at time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment. THE BRILLIANCE OF COMMON SENSE, and Diamond Logic are trademarks of International Truck and Engine Corporation. International and the International Diamond logo are registered trademarks of International Truck and Engine Corporation.